### **DETAILED TESTS & TREATMENT OPTIONS** FOR REPEATED PREGNANCY LOSS (RPL) / REPEATED IMPLANTATION FAILURE (RIF) **IMPORTANT NOTE** Only Carried out with specific written consent by couple with full undertaking as evidence is very limited and some of the treatments are controversial. TESTS in Bold are done in USA (best reproductive immunology lab in the world) at the Rosalind Franklin University, Chicago. 1. MALE Semen Analysis Semen Culture and Sensitivity DNA Sperm Fragmentation Sperm Aneuploidy FSH, LH, E2, Testosterone (Total and Free), SHBG, Free Androgen Index (FAI), Prolactin, TSH, Free T4 2. ENDOCRINE/ METABOLIC SCREENING Free T4 TSH Prolactin Testosterone (Free and Total) Androgen Profile (Testosterone Free and Total, SHBG, Folic Acid, 17α-Hydroxyprogesterone (17α-OHP), DHEA-SO4) Fasting Blood Sugar Fasting Insulin ☐ HbA1c Calcium Fasting Lipid Profile (high BMI group) 3. IMMUNE SCREENING Anti-thyroid Antibodies (thyroid peroxidase, thyroglobulin) Anti-phospholipid Antibodies Anti-nuclear Antibodies (ANA screen) Anti-DNA Antibodies (dsDNA, ssDNA, histones, ScI-70) Immunoglobulin Panel (IgG, IgM, IgA) (Mandatory before IVIgG Therapy) NK Cell Inhibition Panel Reproductive Immunophenotype TH1/TH2 Intracellular Cytokine Ratio Leukocyte Antibody Detection Panel HLA-DQ alpha (Male and Female) KIR Genotype

	PT/INR
	PTT
	Activated Protein C Resistance o Antithrombin III
	Protein C o Protein S
	Prothrombin Gene Polymorphism
	Factor V Leiden Gene Polymorphism
	MTHFR C677T Gene Polymorphism
	MTHFR A1298C Mutation
	Factor XIII
	PA1-1 Gene Polymorphism
i. INF	LAMMATION/ INFECTION SCREENING
	Cervical/ High Vaginal swab/ Endometrium for microbiology Culture and Sensitivity
	Extended STD (Gardnerella Vaginalis, Chlamydia, Mycoplasma HSV I & II (IgM, IgG), Gonococcus,
	Treponema pallidum (syphilis), Candida albicans, GB strep
	Urine Culture and Sensitivity
	HPV
	HSV 1 & II (IgM, IgG)
	CMV (IgM, IgG)
	Toxoplasma (IgM, IgG)
	HIV, HbsAg, HCV (Male and Female)
	TB Gold Quantiferon (pre-Humira)
	CPR
. HEI	MATOLOGY SCREENING
	CBC
	Hb electrophoresis (Thalassemia, Sickle Cell Disease) if indicated
. GEI	NETIC SCREENING
	Karyotype (Male and Female)
	Embryo: PGS Full 46 chromosome (High Resolution; Standard Resolution)
	Sperm Aneuploidy
	Sperm DNA Fragmentation
. LIV	ER AND KIDNEY SCREENING
	Liver Function Test
	Urea and Creatinine
	Electrolytes (Sodium, Potassium, Chloride, Bicarbonate)
. VIT	AMINS SCREENING
	Vitamin D
	Vitamin B12
	Folic Acid

	Middy ale soon for ACC (entral fallials sount). Endometrial Normality, Litering Arten, Donnley
	Midcycle scan for AFC (antral follicle count), Endometrial Normality, Uterine Artery Doppler Gel Contrast Scan
11. HY	STEROSCOPY (All to a Control of the
	During window of Implantation (Natural Cycle; LH +5 to LH +9)/
	HRT (18 to 22 day Estrogen 6-8 mg + 5 to 9 day Progesterone)
	1 Option
	o Day 1 to Day 25: start Estrogen 2mg tablet TID (orally) then from
	o Day 15 to Day 25 add Duphaston 10mg/ day (orally)
	o Day 18 to Day 22: Hysteroscopy
12. EN	DOMETRIAL BIOPSY
	Culture and Sensitivity + Microbiology/ TB
	Histopathology
	Endometrial Immune Profile (EIP)(Chicago test)
	Endometrial Receptivity Array (ERA)-NGS
13. FF	RTILITY IMPROVING SURGERY
	Myomectomy
	Polypectomy
	Endometrioma Excision
	Endometrioma Excision  Hydrosalpinges- Excision or clipping
	Hydrosalpinges- Excision or clipping
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)
14. ME	EDICATION (used with specific consent by couple's full undertaking) IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS Antioxidants (Male and Female) Nutrients (Male and Female)
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching
14. ME	EDICATION (used with specific consent by couple's full undertaking) IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS Antioxidants (Male and Female) Nutrients (Male and Female) Endometrial Scratching Timed Coitus (Exposition to several plasma)
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone
14. ME	EDICATION (used with specific consent by couple's full undertaking) IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS Antioxidants (Male and Female) Nutrients (Male and Female) Endometrial Scratching Timed Coitus (Exposition to several plasma) High Dose Progesterone Neupogen Dydrogesterone Pregnyl
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS  Intralipid
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS  Intralipid  Steroids
14. ME	Hydrosalpinges- Excision or clipping  EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS  Intralipid
14. ME	EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS  Intralipid  Steroids  Humira (very high Th1; Th2): Allergic to Intralipid  No exposition to seminal fluid
14. Mi	EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS  Intralipid  Steroids  Humira (very high Th1; Th2): Allergic to Intralipid  No exposition to seminal fluid  *Thromboprophylaxis: Low Dose Aspirin (LDA), clexane, calcium 1gram, vitamin D 1000IU/ day
14. Mi	EDICATION (used with specific consent by couple's full undertaking)  IMMUNE STIMULATION +/- *THROMBOPROPHYLAXIS  Antioxidants (Male and Female)  Nutrients (Male and Female)  Endometrial Scratching  Timed Coitus (Exposition to several plasma)  High Dose Progesterone  Neupogen  Dydrogesterone  Pregnyl  IMMUNE SUPPRESSION +/- *THROMBOPROPHYLAXIS  Intralipid  Steroids  Humira (very high Th1; Th2): Allergic to Intralipid  No exposition to seminal fluid

	eous- Very Low-Quality Evidence based eme caution in research setting and with written consent from Couple taking all responsibility
	ces of testing and treatments)
	n PRP injections. Testosterone supplements
For poor qua	lity endometrium:
	netrial PRP and or Neupogen injections/Instillations
For Door Lita	ring Artony Pland Flows
	rine Artery Blood Flow: I Sildenafil/GTN
	ctive Immune dysfunction not responding to Intralipid/Steroids nfusions